



## Material Safety Data Sheet

according to the requirements from EEC policy 91/155/EEC

### 1. PRODUCT AND MANUFACTURER IDENTIFICATION

#### 1.1 Identification of the product

LEVELLING SPATULED MINERAL COVERING FOR GLOSSY-POINTED SMOOTHINGS



#### 1.2 Product brand name

FRESCONOVO

#### 1.3 Identification of the company

Manufacturer: SAFRA SPA  
Address: Via I° Maggio, 6 - 37069 VILLAFRANCA (VR)  
Phone: 045/7900511  
Emergency phone nr: 045/6330215

### 2. PRODUCT COMPOSITION/INGREDIENTS

Name of dangerous substance	Concentration	Symbol danger	Phrases R:
Calcium hydroxide	*		R 36/38 : irritant for the eyes and skin
Hydrate calcium hydroxide	*		R 41: Risk of serious ocular injuries

The product is composed of mineral charges and pigments and of additives able to guarantee its application..  
\* identity and/or rate are reserved data (Par. 1, Art. 7 directive 88/379/EEC).

### 3. HAZARD IDENTIFICATION

#### 3.1 Health and environmental hazards

The product irritates by a prolonged contact.

### 4. FIRST AID MEASURES:

#### 4.1 Inhalation

None.

#### 4.2 Skin contact

Generally tthe product irritates the skin by a prolonged contact. Wash with water and soap.

#### 4.3 Eye contact

Rinse eyes copiously with water for 15 minutes. If necessary seek mediacd advice.

#### 4.4 Ingestion

DO NOT INDUCE VOMITING IN ANY CIRCUMSTANCE, if necessary seek medical advice.

### 5. FIRE FIGHTING PROCEDURES

#### 5.1 Suitable extinguishing means

All extinguishing media are permitted.

#### 5.2 Not suitable for safety reasons extinguishing means

No limits.

5.3 Exposure hazards due to the product itself, to combustion products, to gas

None.

## 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Wear protective gloves and clothes by removal.

6.2 Environmental precautions

Restrain losses with earth or sand. Keep the product away from natural water streams or drains.

6.3 Cleaning up methods

By contact with absorbing earth, remove the contaminated coat. By contact with water-repellent surface, absorb the liquid product with vermiculite, dry sand, earth and dispose suitably.

6.4 Other suggestions

If the leakage is due to a damaged bucket, put the rest in a suitable bucket and dispose in accordance to local regulations.

## 7. HANDLING AND STORAGE

7.1 Handling

Handling with care according to good working practice.

7.2 Storage

Storage in original tightly closed cans in a dry, airy place. Keep from freezing.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Respiratory protection

None

8.2 Hands protection

Protective gloves.

8.3 Eyes protection

Safety goggles whrn splashes occur.

8.4 Skin protection

Protective clothes.

8.5 Specific hygienic measures

Keep away from foodstuff or consumption and avoid contact with surfaces on which foodstuff can be placed. Wash hands after use.

## 9. PHYSICO-CHEMICAL DATA

Aspect:	Thick paste
Ph:	Basic (between 10 and 12)
Inflammability (solids, gas):	Not inflammable
Explosive properties:	Not explosive
Vapor pressure:	No data
Specific weight:	1.56 gr/cm <sup>3</sup>
Solubility water solubility:	Good water solubility
Liposolubility (fat solvent to pecise):	No data
Coefficient of distribution:	No data

## 10. STABILITY AND REACTIVITY

10.1 Conditions to avoid

---

None

## 10.2 Material to avoid

Acids

## 10.3 Hazardous decomposition products

None

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Primary irritability:

Skin:

irritant by a prolonged contact.

Eyes:

irritant

Sensitization:

no sensitization effects known

## 12. ECOLOGICAL INFORMATION

Use accordingly to good working practices, avoiding to waste the product and packaging in the environment.

## 13. DISPOSAL CONSIDERATIONS

Product and packaging wastes must be disposed by operators in accordance with national and local regulations.

## 14. TRANSPORT INFORMATION

Product transport must be done in original packaging and in good closed cans in order to avoid flowings and made of materials unassailable from contents and not able to build harmful or dangerous compound.

By road	RID/ADR	any specific prescription
By rail	CT/FS	any specific prescription
By sea	IMGD	any specific prescription
By air	ICAO/IATA	any specific prescription

## 15. REGULATORY INFORMATION

### 15.1 Ministerial Decree of 28 January 1992

The compound is to be considered as irritant for its high alkalinity, therefore needs labelling.

Symbol : Xi irritant

Phrases R : R 36/38 Irritant for eyes and skin

Phrases S : S 26; S 24/25

### 15.2 Other norms

The use of product must be in accordance with the norms contained in the D.P.R. of 27 April 1955, n. 547 "Norms for the prevention of accidents at work" and in D.P.R. of 19 March 1956, n. 303 "General norms for the hygiene at work", Law 319/76 "Drain water".

## 16. OTHER INFORMATION

### 16.1 Further information (written reports and/or technical contact centres)

See technical information.

Information given in this document is based on our best present knowledge and accurate according to the safety standards and to the proper use of the product.  
Manufacturer assumes no responsibility for any improper behaviour or action made by buyers, for improper uses of the product or in case of not authorized sales made by shopkeepers without giving enough information to end-users. This information does not give any guarantee about technical characteristics of the product and cannot be the reason for a contractual juridical relation.

This edition cancels and replaces the previous ones.